

SEMICONDUCTOR INTERNATIONAL

1985 Article Index

This complete index of articles and authors covers the various subjects published in *Semiconductor International* in 1985. The listings are by article under the following categories: Processing, Assembly and Testing; Business and Market Indicators; and Conference, Exhibitions and Previews. The Author Index at the end of this section indicates the month and page in which an author's work appeared. Reprints are available on a custom basis at reasonable prices in quantities of 500 or more. Contact Art Lehmann, Cahners Publishing Co., Reprint Services, 1350 E. Touhy Ave., P.O. Box 5080, Des Plaines, IL 60017-5080 (312) 635-8800.

Processing

- "Economics in Wafer Processing Automation," G. Dan Hutcheson, Jan., pg. 52.
- "Training in the Semiconductor Industry," Ron Iscoff, Jan., pg. 84.
- "A Two Level Metal CMOS Process for VLSI Circuits," Don Barton and Craig Maze, Jan., pg. 98.
- "Vibration Control Wafer Manufacturing Facil-

ities," Donald E. Baxa and Richard A. Dykstra, Jan., pg. 123.

"Arsenosilicate Glass as an Interlayer Dielectric," G.W.B. Ashwell and S.J. Wright, Jan., pg. 132.

"Data Analysis Uses RS/1 to Ease Process Development," Kim Kokkonen, Jan., pg. 140.

"Sloped Vias in Polyimides by RIE," C.H. Ting, S. Yeh and K.L. Liauw, Feb., pg. 82.

"Storage and Disposal of Hazardous Chemicals," Ron Iscoff, Feb., pg. 112.

"Automating Inter-Equipment Transport," Peter H. Singer, Mar., pg. 56.

"Water Purification Criteria for Semiconductor Manufacturing," Ron Iscoff, Mar., pg. 66.

"A Two Micron Metal Interconnect Process Over Severe Topography," F.C. Chien, R.L. Brown, G.N. Burton and M.B. Vora, Mar., pg. 78.

"Applied Wet-Chemical Microfiltration," Pieter Burggraaf, Mar., pg. 86.

"Determining Electromigration Kinetics of Thin Film Interconnects," J.A. Schwarz, Mar., pg. 96.

"Protective Thin Film Coatings by Plasma Polymerization," R.K. Sadhir and H.E. Saunders, Mar., pg. 110.

"X-ray Lithography and Mask Technology," Pieter Burggraaf, Apr., pg. 92.

"Pellicles 1985: An Update," Ron Iscoff, Apr., pg. 110.

"Positive Resist Development Model for Line-width Control," M.P.C. Watts, Apr., pg. 124.

"Developments in Thin Polyoxides for Non-Volatile Memories," Sun Chiao, Wayne Shih, C. Wang and Tarsaim Batra, Apr., pg. 156.

"Evaluating Low-Particulate Chemicals," Donald W. Johnson, Apr., pg. 168.

"Hybrid Alignment: 5:1 Stepper with 1:1 Scanner," Fumiaki Ushiyama, Toshio Endo and Seichi Iwamatsu, Apr., pg. 180.

"Changes in Oxygen Precipitation Density During Wafer Processing," Paul D. Hicken, Apr., pg. 190.

"Annealing and Diffusion of Fine Geometry CMOS Technologies," D.J. Godfrey, Apr., pg. 216.

"Impact of Lithographic Process Variations on CD Measurements," D.M. Rickey and M.R. Toof, Apr., pg. 230.

"Layer to Layer Interconnections: Impact on VLSI Circuits," H.B. Harrison, G. Sai-Halasz and G.K. Reeves, Apr., pg. 240.

"Alternatives to Furnace Annealing," Ron Iscoff, May, pg. 78.

"Formation of Titanium Silicide by Rapid Thermal Annealing," D. Pramanik, M. Deal,



High Purity Pressure Regulator

WELDED CONSTRUCTION

For Toxic and Reactive Gases (HCL, Ammonia Arsine, Diborane, Silane, Phosphine, and Other Gases)



MODEL TDR-450W and TDR-480W

Designed to resist attack from strong acid forming gases and to facilitate the safe handling of corrosive, toxic and reactive gases.

FEATURES: WELDED fitting (eliminate pipe threads which trap hydrogen and affect the purity of the process). • WELDED of the process). • 316 Stainless steel • 316 Stainless steel • Teflon lined 316 Stainless steel • Maximum pressure 3000 psi. • Adjustable outlet pressure: 0-30 psi and 0-100 psi.

Factory Mutual System Approved

VERIFLO CORPORATION
250 Canal Blvd. Richmond, CA 94804
(415) 235-9590



MODEL N44256

Acousto Optic Scanning Laser Microscope

USER ORIENTED FEATURES:

- All solid state Laser Scanner ■ Spot Size: <1.0 Micron ■ Accuracy: 0.1 Micron ■ Field Size: 256 x 256 (512 x 512 option) ■ Scan Modes: Random Access and Raster Scanning ■ XY Stages Motion: 6" x 6" ■ Computer controlled and joy stick operation

APPLICATIONS:

- Mask repair ■ Memory repair ■ Laser pattern generation ■ Semiconductor processing ■ Microscopy ■ Fluorescence microscopy

NewportEOS

NEWPORT ELECTRO-OPTICS SYSTEMS

Integrating Lasers, Electronics and Acousto-Optics

4451B ENTERPRISE CT./MELBOURNE, FL 32935/305/254-0300

SEMICONDUCTOR INTERNATIONAL

1985 Article Index

This complete index of articles and authors covers the various subjects published in *Semiconductor International* in 1985. The listings are by article under the following categories: Processing, Assembly and Testing; Business and Market Indicators; and Conference, Exhibitions and Previews. The Author Index at the end of this section indicates the month and page in which an author's work appeared. Reprints are available on a custom basis at reasonable prices in quantities of 500 or more. Contact Art Lehmann, Cahners Publishing Co., Reprint Services, 1350 E. Touhy Ave., P.O. Box 5080, Des Plaines, IL 60017-5080 (312) 635-8800.

Processing

"Economics in Wafer Processing Automation," G. Dan Hutcheson, Jan., pg. 52.

"Training in the Semiconductor Industry," Ron Iscoff, Jan., pg. 84.

"A Two Level Metal CMOS Process for VLSI Circuits," Don Barton and Craig Maze, Jan., pg. 98.

"Vibration Control Wafer Manufacturing Facil-

ities," Donald E. Baxa and Richard A. Dykstra, Jan., pg. 123.

"Arsenosilicate Glass as an Interlayer Dielectric," G.W.B. Ashwell and S.J. Wright, Jan., pg. 132.

"Data Analysis Uses RS/1 to Ease Process Development," Kim Kokkonen, Jan., pg. 140.

"Sloped Vias in Polyimides by RIE," C.H. Ting, S. Yeh and K.L. Liauw, Feb., pg. 82.

"Storage and Disposal of Hazardous Chemicals," Ron Iscoff, Feb., pg. 112.

"Automating Inter-Equipment Transport," Peter H. Singer, Mar., pg. 56.

"Water Purification Criteria for Semiconductor Manufacturing," Ron Iscoff, Mar., pg. 66.

"A Two Micron Metal Interconnect Process Over Severe Topography," F.C. Chien, R.L. Brown, G.N. Burton and M.B. Vora, Mar., pg. 78.

"Applied Wet-Chemical Microfiltration," Pieter Burggraaf, Mar., pg. 86.

"Determining Electromigration Kinetics of Thin Film Interconnects," J.A. Schwarz, Mar., pg. 96.

"Protective Thin Film Coatings by Plasma Polymerization," R.K. Sadhir and H.E. Saunders, Mar., pg. 110.

"X-ray Lithography and Mask Technology," Pieter Burggraaf, Apr., pg. 92.

"Pellicles 1985: An Update," Ron Iscoff, Apr., pg. 110.

"Positive Resist Development Model for Line-width Control," M.P.C. Watts, Apr., pg. 124.

"Developments in Thin Polyoxides for Non-Volatile Memories," Sun Chiao, Wayne Shih, C. Wang and Tarsaim Batra, Apr., pg. 156.

"Evaluating Low-Particulate Chemicals," Donald W. Johnson, Apr., pg. 168.

"Hybrid Alignment: 5:1 Stepper with 1:1 Scanner," Fumiaki Ushiyama, Toshio Endo and Seichi Iwamatsu, Apr., pg. 180.

"Changes in Oxygen Precipitation Density During Wafer Processing," Paul D. Hicken, Apr., pg. 190.

"Annealing and Diffusion of Fine Geometry CMOS Technologies," D.J. Godfrey, Apr., pg. 216.

"Impact of Lithographic Process Variations on CD Measurements," D.M. Rickey and M.R. Toof, Apr., pg. 230.

"Layer to Layer Interconnections: Impact on VLSI Circuits," H.B. Harrison, G. Sai-Halasz and G.K. Reeves, Apr., pg. 240.

"Alternatives to Furnace Annealing," Ron Iscoff, May, pg. 78.

"Formation of Titanium Silicide by Rapid Thermal Annealing," D. Pramanik, M. Deal,



High Purity Pressure Regulator

WELDED CONSTRUCTION

For Toxic and Reactive Gases (HCL, Ammonia Arsine, Diborane, Silane, Phosphine, and Other Gases)



MODEL TDR-450W and TDR-480W

Designed to resist attack from strong acid forming gases and to facilitate the safe handling of corrosive, toxic and reactive gases.

FEATURES: WELDED fitting in/inate pipe threads which trap hydrogen and affect the purity of the process). • WELDED of the process). • 316 Stainless steel • Teflon lined 316 Stainless steel • Maximum pressure 3000 psi. • Adjustable outlet pressure: 0-30 psi and 0-100 psi.

VERIFLO CORPORATION
250 Canal Blvd. Richmond, CA 94804
(415) 235-9590

Factory Mutual System Approved



MODEL N44256

Acousto Optic Scanning Laser Microscope

USER ORIENTED FEATURES:

- All solid state Laser Scanner ■ Spot Size: <1.0 Micron ■ Accuracy: 0.1 Micron ■ Field Size: 256 x 256 (512 x 512 option) ■ Scan Modes: Random Access and Raster Scanning ■ XY Stages Motion: 6" x 6" ■ Computer controlled and joy stick operation

APPLICATIONS:

- Mask repair ■ Memory repair ■ Laser pattern generation ■ Semiconductor processing ■ Microscopy ■ Fluorescence microscopy

NewportEOS

NEWPORT ELECTRO-OPTICS SYSTEMS

Integrating Lasers, Electronics and Acousto-Optics

4451B ENTERPRISE CT./MELBOURNE, FL 32935/305/254-0300

A.N. Saxena and Owen K.T. Wu, May, pg. 94.

"Activation and Redistribution of Implants in Polysil by RTP," R. Chow and R.A. Powell, May, pg. 108.

"Rapid Thermal Processing of Gate Dielectrics," Arnon Gat and Jaime Nulman, May, pg. 120.

"Thin Film Technology for Advanced Semiconductors Part I — Silicon Epitaxy: A Critical Technology," K.E. Bean, W.R. Runyan and R.G. Massey, May, pg. 135.

"RIE of GaAs in Chlorinated Plasma," A.P. Webb, May, pg. 154.

"Contamination Study of Plasma Etching," Roger Lachenbruch, Tom Wicker and Jerris Peavey, May, pg. 164.

"Semiconductor Research: An Industry-University Venture," Chuck Murray, May, pg. 176.

"The Work Center Works for Wafer Fab," Nick Sabo and Jerry Secrest, May, pg. 194.

"Clean Rooms for VLSI Fabrication," Philip W. Morrison and Richard J. Yevak, May, pg. 208.

"SMIF Technology Reduces Clean Room Requirements," Mihir Parikh and Anthony C. Bonora, May, pg. 222.

"Characterizing Plasma Phosphorus-Doped Oxides," Jana Houskova, Kim Khanh N. Ho and Marjorie K. Balazs, May, pg. 236.

"Defect Characterization of a Silicon Gate CMOS Process," Jacques Laneuville, Jean Marcoux, Jon Orchard-Webb and Alain Comeau, May, pg. 250.

"The Application of Statistical Regression to Yield Modeling," Stuart L. Weisbrod, May, pg. 261.

"Advances in Diffusion Furnace Technology," Peter H. Singer, May, pg. 276.

"Silicide Spotlight Technology," Pieter Burggraaf, May, pg. 292.

"CVD Tungsten and Tungsten Silicide for VLSI Applications," Suresh Sachdev and Robert Castellano, May, pg. 306.

"Overlay Accuracy for VLSI Devices," W. Wakamiya and M. Nakajima, May, pg. 322.

"Excimer Laser Applications in Contact Printing," Elmar Cullmann, May, pg. 332.

"Electron Image Projection for 0.5 Micron Geometries," K.H. Nicholas, May, pg. 338.

"Gettering in Processed Silicon," D.K. Sadana, May, pg. 362.

"Thin Film Technology for Advanced Semiconductors Part 2a — Thermally Prepared SiO₂ Films for VLSI," E.A. Irene, June, pg. 91.

"MeV Implantation for CMOS Applications," Michael I. Current, Russel A. Martin, Kyriakos Doganis and Richard H. Bruce, June, pg. 106.

"An Evaluation of Etching in NF₃ and NF₃/Argon Plasma," Thuy Ta, June, pg. 122.

"Semiconductor Demand and Wafer Consumption," G.D. Hutcheson, July, pg. 43.

"Exotic Materials for Integrated Circuits," Ron Iscoff, July, pg. 70.

"Silicon Wafers Engineered for ULSI Circuits," Howard R. Huff, July, pg. 82.

"Techniques of Wafer Lapping and Polishing," Chuck Murray, July, pg. 94.

"Thin Film Technology for Advanced Semi-

conductors Part 2b: Deposited Dielectrics for VLSI," Werner Kern, July, pg. 121.

"SOI-CMOS 4K SRAM Via Oxygen Implant," C.E. Chen et al, July, pg. 136.

"Lithography Refinements for Submicron Production," James N. Smith, Aug., pg. 37.

"Photoresist Processing Systems: The Next Generation," Ron Iscoff, Aug., pg. 56.

"Trends in Resist Design and Use," Peter H.

The newest breakthrough in pellicle technology.


The Only Pellicle with Polymer Anti-Reflective Coating.

Compared to the ordinary inorganic vacuum coating technology, the polymer coating offers superior stability during changes in humidity, atmospheric pressure and temperature. There is almost no stress between the anti-reflective (AR) coating and the basic pellicle membrane.

Compare these benefits:


1. NO thermal mismatch between the AR coating and the base film which could result in cracking or peeling of the AR coating.
2. NO internal stress of the AR coating to cause cracking or peeling in the AR coating.
3. NO deposition shadow along the pellicle frame to reduce the useful area.

Transmission spectrum of MLI Polymer Anti-Reflective coated pellicle



Film Type 104, 2.8 μ m, two side, multiple layer AR coating.

Innovation is the reason MLI is the world's leader in high quality pellicles. All MLI pellicles are packed and shipped in our patented package.



U.S. patent 4,470,508 and other patents pending.

for more information, contact:

MLI Micro Lithography, Inc.

2904 Scott Blvd., Santa Clara, CA 95050, U.S.A., Phone (408) 986-1769

In Japan: Inabata & Company, Tokyo, Japan; Phone (03) 639-6549

In United Kingdom: Metron Semiconductors Ltd. Hampshire, England; Phone Basingstoke (0256) 55773

In West Germany: Voss Electronic, Muenchen, West Germany; Phone (0234) 57544

In France: Sotrachem, Paris, France; Phone (1) 243-80-02

For information circle 68

DECEMBER, 1985 SEMICONDUCTOR INTERNATIONAL/111

**CDE CORNELL
DUBILIER**

Mica Capacitors



**VACUUM
CAPACITORS**

JENNINGS

SURCOM ASSOCIATES, INC.

305 Wisconsin Avenue
Oceanside, California 92054
(619) 722-6162

For information circle 81

1985 Article Index

Singer, Aug., pg. 68.

"Multilayer Resist Processing Update," Pieter Burggraaf, Aug., pg. 88.

"Aqueous Developable Bilayer Resist System," Mark P. deGrandpre, David Vidusek and Michael W. Legenza, Aug., pg. 98.

"Controlling Static in Wafer Fabrication," Chuck Murray, Aug., pg. 110.

"Thin Film Technology for Advanced Semiconductors Part 3 — VLSI Interconnect Metallization," Paul S. Ho, Aug., pg. 127.

"PECVD of Silicon Epitaxial Layers," T.J. Donahue and R. Reif, Aug., pg. 142.

"Characterizing Plasma Deposited Silicon Nitride," P.N. Kember, S.C. Liddell and P. Blackborow, Aug., pg. 158.

"Internal Gettering in Czochralski Silicon," Robert A. Craven, Sept., pg. 134.

"Developing a Working Mix-and-Match Lithography System," John Lent, Sept., pg. 146.

"Reticle Sizing for Optimized CD Control," Terry V. Nordstrom, Sept., pg. 158.

"Computerized CMOS Latch-Up Characterization," G. Claudius, R. Lohia and W. Kolacinski, Sept., pg. 180.

"Change in Thinking Needed for CIM Implementation," Dennis E. Wisnosky, Oct., pg. 39.

"Dry Etching Systems: Gearing Up for Larger Wafers," Ron Iscoff, Oct., pg. 48.

"Mass Flow Controllers: Assuring Precise Process Gas Flows," Chuck Murray, Oct., pg. 72.

"Semiconductor Factory Automation: Current Theories," Pieter Burggraaf, Oct., pg. 88.

"The Impact of Photoresist Linewidth Control and Measurement," Whit Waldo, Oct., pg. 116.

"The Subtle Importance of Vacuum System Maintenance," William F. Brunner, Nov., pg. 35.

"Vacuum Pumps: The Critical Component," Ron Iscoff, Nov., pg. 46.

"Vacuum Pump Fluids for Semiconductor Processing," Martin J. Mastroianni, Marc Tarpalee and Lawrence Gilbert, Nov., pg. 62.

"Advances in Metalization Technology," Pieter Burggraaf, Nov., pg. 72.

"CAD Tools for Custom IC Layout," Peter H. Singer, Dec., pg. 56.


Assembly

"Addressing Packaging and Assembly Weaknesses," Daniel J. Rose, Jan., pg. 60.

"Computer Analysis of Wire Bond Pull Test Data," R.A.S. Taylor, Apr., pg. 202.

9065 Freeway Drive • Macedonia, Ohio 44056
(216) 468-0160

LUFERAN™



**Instant
Hot DI
on
Demand**

Circulating
water
contacts only
fluorocarbon
materials!

See Our Catalog in
THOMCAT

For information circle 69

112/SEMICONDUCTOR INTERNATIONAL DECEMBER, 1985

**Need an electrically
conductive coating
or adhesive?**

You've got it.

You've got 14 solders, coatings, and adhesives. Use our silver, gold, or low cost alloy filled adhesives for shielding, bonding wave guide plumbing, connecting heat sensitive components, bonding IC chips. Use our coatings for excellent electrical properties in a thin film. Or develop your own use. Everyone else is.



THE CHEMICAL TOOLS

DYNALOG, INC.

7 Great Meadow Lane • Hanover, N.J. 07936 • (201) 887-9270
Telex: 642-033 DYNALOG-EHAN

For information circle 70

"High Performance Packaging," Ernel R. Winkler, May, pg. 350.

"Wire Bonding Systems Review," Ron Iscoff, June, pg. 54.

"Deflashing IC Packages and Leadframes," Peter H. Singer, June, pg. 66.

"Inspection Trends in IC Assembly," Pieter Burggraaf, June, pg. 76.

"Encapsulated Chip Packaged on Tape," James Marshall and Jack Hullmann, Aug., pg. 170.

"Component Marking Technology Trends," Ron Iscoff, Dec., pg. 38.

"Ultraviolet Curable Marking Systems," Steven Schick, Dec., pg. 47.

Testing

"Coming Major Changes in Test," Jon Turino, Jan., pg. 70.

"Rapid Determination of Ionic Contaminants," Phil Pecevich, Jan., pg. 112.

"Guidelines for Optical Microscopy," Pieter Burggraaf, Feb., pg. 54.

"Linewidth Measurement Aids Process Control," Peter H. Singer, Feb., pg. 66.

"Scanning Laser Microscopy," Hansjoachim Hinkelmann, Feb., pg. 92.

"Acoustic Microscopy Improves Internal Reliability of IC Packaging," Thomas E. Adams, Feb., pg. 100.

"Photomask and Reticle Defect Detection," Peter H. Singer, Apr., pg. 66.

"Inspection Strategies for 1X Reticles," George W. Brooks and Larry S. Zurbrick, Apr., pg. 80.

"Wafer Characterization with Laser Microprobe Mass Spectroscopy," John M. McMahon, Apr., pg. 144.

"Designing an Advanced Copper-Alloy Leadframe Material," Young G. Kim and Chung Ryu, Apr., pg. 250.

"Wafer Inspection for Defects," Pieter Burggraaf, July, pg. 56.

"An Algorithm to Determine Wafer Flatness," Ernest G. Meder, July, pg. 110.

"Cost Effective Test: The 'Ball's' in Management's Court," John E. Schaefer, Sept., pg. 44.

"E-Beam Probing Systems: Filling the Sub-micron Gap," Ron Iscoff, Sept., pg. 62.

"Test Software Development," Peter H. Singer, Sept., pg. 76.

"IC Handler Product Trends," Pieter Burggraaf, Sept., pg. 93.

"Adding Intelligence to the Prober/Handler-Tester Interface," Ron Leckie, Sept., pg. 106.

"Testing Semicustom Logic," E.J. McCluskey, Sept., pg. 118.

"Standardized Film Thickness Measurement Technique," Gary O. Henderson, Sept., pg. 170.

"Parametric Testing: Design to Production," Peter H. Singer, Oct., pg. 104.

"Detection of Fe and Ni Surface Precipitates by TEM," Peter Augustus, Nov., pg. 88.

"Control and Documentation in Burn-In," Pieter Burggraaf, Dec., pg. 68.

Business/Market Indicators

Economic Indicators, Cheryl Patstone, "Economy Strengthens Slightly in Fourth Quarter," Jan., pg. 41; "Economy Will Grow at Near Average Pace in 1985," Feb., pg.

47; "Near Average Economic Growth Expected This Year," Mar., pg. 49; "Above Average Economic Growth Expected in 1985," Apr., pg. 61; "Economy to Stay Healthy in 1985," May, pg. 63; "Economic Expansion Will Continue Through Year-End," June, pg. 45; "1985: A Year of Average Growth," July, pg. 49; "Expansion Will Last Through Year's End," Aug., pg. 41; "Economic Downturn Expected Next Year," Sept., pg. 49; "Economic Downturn Ex-



MAXISART-EL & HOUSING: Pre-purged with N₂ to remove particulates. Also available as disposable.

0.05um POINT OF USE MEMBRANE FILTRATION

— Now there is a choice

- Filter Inert Gases or Toxic Gases
- PTFE or Nylon Membrane
- 0.05um to 0.02um
- Disposable welded housing in stainless steel or polypropylene.

SARTORIUS FILTERS, INC. CORPORATE HEADQUARTERS

30940 San Clemente Street
Hayward, CA 94544

Toll Free: 800-227-2842

Eastern Operations: 800-368-7178

In California: 800-972-5225

sartorius

For information circle 71

FIFTH ANNUAL SEMICONDUCTOR PURE WATER CONFERENCE

JANUARY 16-17, 1986 • HYATT REGENCY
SAN FRANCISCO, CALIFORNIA

Whether your book-to-bill ratio is high or low your pure water-to-yield ratio remains constant. Ultra pure fab line water has been clearly established as a major contributor to improved yields in semiconductor manufacturing.

At the Fifth Annual Semiconductor Pure Water Conference you can learn from the experts the latest technology for establishing and maintaining a truly ultra-pure water system. The conference portion of this annual event has become the industry's most dependable barometer of progress being made in process water management. And the SPWC product exhibit provides a one-stop shopping guide to the products and services needed to get the job done.

Conference chairperson Marjorie K. Balazs, president of Balazs

Analytical Laboratory, has developed an outstanding technical program that includes papers on the following topics:

- Closed loop degasification
- P-modules: The answer to the final filter dilemma?
- Piping materials—Part II
- A comparison of commercial TOC monitors
- 2PLP—A new concept for makeup water in High Purity Water Production
- The role of bacteria fouling
- A pure water system design philosophy
- Electrical resistance in particle detection
- Advancements in ultra pure water analysis

Complete and return this form with your check to:

Westly Enterprises
3697 South Court
Palo Alto, CA 94306

Name _____ Title _____

Name _____ Title _____

Company _____

Mailing Address _____ M/S _____

City and State _____ Zip _____

Telephone (____) _____

Conference Registration Fees: \$195.00 Per Person for Conference, Complete Transcripts, and Exhibits if received by Friday, January 10, 1986.
Registration at door or after January 10 is \$250.00 per person.
For hotel reservations, call the San Francisco Hyatt Regency Hotel, (415) 788-1234.
For information on exhibiting, call (415) 494-7115.

For multiple registrations, please duplicate this form.

For information circle 72

1985 Article Index

pected to be Mild," Oct., pg. 43; "Economic Growth Will Be Flat in 1986," Nov., pg. 39; "Economy to Grow 1% Next Year," Dec., pg. 35.

Conferences, Exhibitions, Previews

Show coverage, Sandra Leavitt, "ADEE Focuses on CAD-CAE Exclusively," Jan., pg. 152; "Semicon/Europa Addresses VLSI Age," Jan., pg. 175; "Emerging Korean Semiconductor Industry Fosters First Exposition," Feb., pg. 124; "China Welcomes First Semiconductor International Show," Mar., pg. 24; "New Technology Blooms at Semicon/West '85," Apr., pg. 268; "Semicon/West '85," May, pg. 380; "UK Expo Specializes in Semiconductor Manufacture," July, pg. 151; "Materials and Processing Dominate Program at Semicon/East '85," Aug., pg. 186; "Semicon/Southwest Zeroes in on Contamination," Sept., pg. 188; "ITC Addresses the Future of Test," Sept., pg. 196; "ADEE/East Focuses on Tomorrow's Electronics Design," Sept., pg. 200; "SSE Focuses on Closing Industry Gaps," Oct., pg. 126; "ISHM Focuses on 'A Small World'," Oct., pg. 136; "Semicon/Japan '85 Addresses One Micron Barrier," Oct., pg. 148; "Materials Research Society Focuses on Frontiers," Nov., pg. 102; "AVS Stresses the Science of Technology," Nov., pg. 110; "Semiconductor International's 1985 Achievement Awards," Dec., pg. 80; "ASEE Concentrates on Manufacturing Science for VLSI," Sandra Leavitt, Dec., pg. 89.

"Product Literature Update Service," Mar., pg. 141.

"Product Showcase Update," Sandra Leavitt, June, pg. 134.

"Product Literature Update Service," Oct., pg. 161.

"1985 Product Showcase," Nov., pg. 123.

Authors

Adams, Thomas E., Feb., pg. 100.
Ashwell, G.W.B.; Wright, S.J., Jan., pg. 132.
Augustus, Peter, Nov., pg. 88.
Barton, Don; Maze, Craig, Jan., pg. 98.
Baxa, Donald E.; Dykstra, Richard A., Jan., pg. 123.
Bean, K.E.; Runyan, W.R.; Massey, R.G., May, pg. 135.
Brooks, George W.; Zurbrick, Larry S., Apr., pg. 80.
Brunner, William F., Nov., pg. 35.
Burggraaf, Pieter, Feb., pg. 54; Mar., pg. 86; Apr., pg. 92; May, pg. 292; June, pg. 76; July, pg. 56; Aug., pg. 88; Sept., pg. 93; Oct., pg. 88; Nov., pg. 72; Dec., pg. 68.
Chen, C.E., July, pg. 136.
Chiao, Sun; Shih, Wayne; Wang, C.; Batra, Tarsaim, Apr., pg. 156.
Chien, F.C.; Brown, R.L.; Burton, G.N.; Vora, M.B., Mar., pg. 78.
Chow, R.; Powell, R.A., May, pg. 108.
Claudius, G.; Lohia, R.; Kolacinski, W., Sept., pg. 180.
Craven, Robert A., Sept., pg. 134.
Cullmann, Elmar, May, pg. 332.
Current, Michael I.; Martin, Russel A.; Doganis, Kyriakos; Bruce, Richard H., June, pg. 106.

deGrandpre, Mark P.; Vidusek, David;
Legenza, Michael W., Aug., pg. 98.
Donahue, T.J.; Reif, R., Aug., pg. 142.

Gat, Arnon; Nulman, Jaime, May, pg. 120.
Godfrey, D.J., Apr., pg. 216.

Harrison, H.B.; Sai-Halas, G.; Reeves, G.K.,
Apr., pg. 240.

Henderson, Gary O., Sept., pg. 170.

Hicken, Paul D., Apr., pg. 190.

Hinkelmann, Hansjoachim, Feb., pg. 92.

Ho, Paul S., Aug., pg. 127.

Houskova, Jana; Ho, Kim Khanh N.; Balazs,
Marjorie K., May, pg. 236.

Huff, Howard R., July, pg. 82.

Hutcheson, G. Dan, Jan., pg. 52; July, pg.
43.

Irene, E.A., June, pg. 91.

Iscoff, Ron, Jan., pg. 85; Feb., pg. 112; Mar.,
pg. 66; Apr., pg. 110; May, pg. 78; June, pg.
54; July, pg. 70; Aug., pg. 56; Sept., pg. 62;
Oct., pg. 48; Nov., pg. 46; Dec., pg. 38.

Johnson, Donald W., Apr., pg. 168.

Kember P.N.; Liddell, S.C.; Blackborrow, P.,
Aug., pg. 158.

Kern, Werner, July, pg. 121.

Kim, Young G.; Ryu, Chung, Apr., pg. 250.

Kokkonen, Kim, Jan., pg. 140.

Lachenbruch, Roger; Wicker, Tom; Peavey,
Jerris, May, pg. 164.

Laneville, Jacques; Marcoux, Jean; Or-
chard-Webb, Jon; Comeau, Alain, May, pg.
250.

Leavitt, Sandra, Jan., pg. 152, pg. 175; Feb.,
pg. 124; Mar., pg. 124; Apr., pg. 268; May,
pg. 380; June, pg. 134; July, pg. 151; Aug.,
pg. 186; Sept., pg. 188, pg. 196, pg. 200;
Oct., pg. 126, pg. 136, pg. 148; Nov., pg.
102, pg. 110, Dec., pg. 80, pg. 89.

Lackie, Ron, Sept., pg. 106.

Lent, John, Sept., pg. 146.

Marshall, James; Hullmann, Jack, Aug., pg.
170.

Mastroianni, Martin J.; Tarplee, Marc C.; Gil-
bert, Lawrence; Nov., pg. 62.

McCluskey, E.J., Sept., pg. 118.

McMahon, John M., Apr., pg. 144.

Meder, Ernest G., July, pg. 110.

Morrison, Philip W.; Yevak, Richard J., May,
pg. 208.

Murray, Chuck, May, pg. 176; July, pg. 94;
Aug., pg. 110; Oct., pg. 72.

Nicholas, K.H., May, pg. 338.

Nordstrom, Terry V., Sept., pg. 158.

Parikh, Mihir; Bonora, Anthony C., May, pg.
222.

Patstone, Cheryl, Jan., pg. 41; Feb., pg. 47;
Mar., pg. 49; Apr., pg. 61; May, pg. 63; June,
pg. 45; July, pg. 49; Aug., pg. 41; Sept., pg.
49; Oct., pg. 43; Nov., pg. 39; Dec., pg. 35.

Pecevich, Phil, Jan., pg. 112.

Pramanik, D.; Deal, M.; Saxena, A.N.; Wu,
Owen K.T., May, pg. 94.

Rickey, D.M.; Toof, M.R., Apr., pg. 230.

Rose, Daniel J., Jan., pg. 60.

Sabo, Nick; Secrest, Jerry, May, pg. 194.

Sachdev, Suresh; Castellano, Robert, May,
pg. 306.

Sadana, D.K., May, pg. 362.

Sadhir, R.K.; Saunders, H.E., Mar., pg. 110.

Schaefer, John E., Sept., pg. 44.

Schick, Steven, Dec., pg. 47.

Schwarz, J.A., Mar., pg. 96.

Singer, Peter H., Feb., pg. 66; Mar., pg. 56;

Apr., pg. 66; May, pg. 276; June, pg. 66;

Aug., pg. 68; Sept., pg. 76; Oct., pg. 104;

Dec., pg. 56.

Smith, James N., Aug., pg. 37.

Ta, Thuy, June, pg. 122.

Taylor, R.A.S., Apr., pg. 202.

Ting, C.H.; Yeh, S.; Liaw, K.L., Feb., pg. 82.

Turino, Jon, Jan., pg. 70.

Ushiyama, Fumiaki; Endo, Toshio; Iwamatsu,
Seichi, Apr., pg. 180.

Wakamiya, W.; Nakajima, M., May, pg. 322.

Waldo, Whit, Oct., pg. 116.

Watts, M.P.C., Apr., pg. 124.

Webb, A.P., May, pg. 154.

Weisbrod, Stuart L., May, pg. 261.

Winkler, Ernel R., May, pg. 350.

Wisnosky, Dennis E., Oct., pg. 39.

For Trace Moisture Measurement in Gases.

The SumX SX-700: When you need an intelligent, self-calibrating moisture analyzer with high sensitivity to trace moisture — even in corrosive, fouling gases (glycols, etc.).

The SX-700 is a microprocessor controlled infrared trace moisture analyzer with simple, yet advanced features:

- Trend Graph — displays trend for last 80 time periods (days, hours or minutes)
- Direct readouts in six different engineering units.
- Automatically activated internal permeation calibrator.
- NEMA 4X and NEMA 7 cases for hazardous areas.
- Sensitivity to 5 ppm

Applications include:

- Natural gas production and transmission.
- Dehydration.
- Gas monitoring for semiconductor manufacturing.
- Chlorine and Hydrogen Chloride.
- Catalytic reformers.
- Ethylene processing.
- Plus many others.

Contact us for specifics on your application needs.



SumX Corp.

P.O. Box 14864 Austin, Texas 78761
(512) 835-0330 Telex: 9103505536



For information circle 73

DECEMBER, 1985 SEMICONDUCTOR INTERNATIONAL/115